



1/3

FIG. 1




FIG. 3A

	NUMBERING PLAN
1	NANP
2	
3	
4	

FIG. 3C

	DIGIT DISCARD INSTRUCTIONS	NUMBERING PLAN
1	10d-7d	1
2	PREDOT	1
3	1010	1
4	⋮	⋮
5	⋮	⋮

FIG. 3B

	TAG
1	ACCESS-CODE
2	INTERNATIONAL-ACCESS
3	COUNTRY-CODE
4	NATIONAL-NUMBER
5	TRANSIT-NETWORK-ESCAPE
6	TRANSIT-NETWORK
7	LONG-DISTANCE-DIRECT-DIAL
8	AREA-CODE
9	OFFICE-CODE
10	SUBSCRIBER

FIG. 3D

	DD1 NUMBER	TAG NUMBER	
		MAINTAIN	DISCARD
1	1	9	1
2	1	10	
3	2		
4	3		5
5	3		6
⋮	⋮		
⋮	⋮		

2/3

40

FIG. 2

Route Pattern Configuration

Route Pattern: New

Status: Ready

Note: Any update to this route pattern automatically resets the associated gateway/route list

Insert Cancel Changes

**Pattern Definition**

Route Pattern\* 9.@ 42

Partition <None> 44

Numbering Plan\* North American Numbering Plan 46

Route Filter <None> 48

Gateway/Route List\* ---Not Selected--- 50

Route Option ☒ Route this pattern ☐ Block this pattern

☐ Provide Outside Dial Tone ☐ Urgent Priority

**Calling Party Transformations**

☐ Use Calling Party's External Phone Number Mask

Calling Party Transform Mask 52

Prefix Digits (Outgoing Calls) 52

**Called Party Transformations**

Discard Digits <None> 56

Called Party Transform Mask 54

Prefix Digits (Outgoing Calls) 54

\* indicates required item

